



# Declaration of Performance

DoP No: RCM0005

**Product description:** Calcium Silicate Fibre Cement Board

**Brand name and/or product code:** RCM Y-Wall

**Intended use in accordance with hEN as foreseen by manufacturer:** External sheathing applied to lightweight steel and timber frame solutions, fire rated partitions and OEM applications

**Registered trade name of manufacturer and contact address:**

Roofing and Cladding Materials Limited, Unit 27 Rosevale Road Parkhouse Industrial Estate West, Newcastle under Lyme, Staffordshire. ST5 7EF

**System of assessment and verification of consistency of performance of named product(s):**

AVCP System 4

**Harmonised standard:** The Manufacturer has undertaken self-declaration having carried out ITT and FPC conformity requirements of BS EN 12467:2012+A1:2018. Notified Body 1289 Lucideon Ltd UKAS 0013

## Declared Performance:

Essential characteristic	Performance	Harmonised technical specification
Mechanical Resistance	Class 2	BS EN 12467:2012+A1:2018
Reaction to Fire	A1	BS EN 13501-1:2007+A1:2009
Water Permeability	Pass	BS EN 12467:2012+A1:2018
Durability against warm water	Pass	BS EN 12467:2012+A1:2018
Durability against soak/dry	Pass	BS EN 12467:2012+A1:2018
Durability against freeze thaw	Pass	BS EN 12467:2012+A1:2018
Durability against heat-rain	Pass	BS EN 12467:2012+A1:2018

The performance of RCM Y-Wall is in conformity with the declared performance.  
This declaration of performance is issued under the sole responsibility of Roofing and Cladding Materials Limited.

Signed for and on behalf of Roofing and Cladding Materials Limited.

Signed:  Date & Location: 28<sup>th</sup> Jan 2021

Ian Quinton, Managing Director, Roofing and Cladding Materials Limited.

[www.buildingboards.co.uk](http://www.buildingboards.co.uk)