

Vitrafix Xtral T
Rail

VF4R4.010A4

Rivet

XTRAL
Panel

Insulation
continuous
around
supports


Vitrafix VF1
Carrier
System

VFSD4.825 Vitrafix Self
Drilling Fixing, 4.8x25mm

VFSD5.538 Vitrafix Self
Drilling Fixing, 5.5x38mm

Isolation
Pad

Sheathing
Board



Fairview Europe Ltd t/a Valcan
Dunball House, Unit N Woodlands
Bristol Road, Bridgwater, TA6 4FJ
tel: 0844 800 7131
email: enquiries@valcan.co.uk

THESE DETAILS ARE LIMITED TO THE GENERALISED DESIGN
SPECIFICATION FOR THE PRODUCTS SHOWN AND ARE INTENDED
TO BE USED BY A TECHNICALLY SKILLED PERSON ONLY - ANY USE OF
THE SAME IS AT THEIR OWN DISCRETION AND RISK.
FILE NAME: Xtral Typical Joint
SCALE: 1 : 2 @ A4

UNLESS OTHERWISE
SPECIFIED, DIMENSIONS
ARE IN MILLIMETRES
2PL ± 0.01mm
3PL ± 0.001mm

DRAWN: GB
CHECKED .
ENG APPR .
MGR APPR .

DRAWING TITLE
Xtral Typical Joint Detail

DATE September 2022
SHEET 1 OF 5
DRAWING No. X-PL-1
REV. 2




VALCAN
PART OF THE FAIRVIEW GROUP

Insulation
continuous
around
supports

Sheathing
Board

Isolation
Pad


VFSD5.538 Vitrafix Self
Drilling Fixing, 5.5x38mm



Vitrafix Xtral T
Rail


VFSD4.825 Vitrafix Self
Drilling Fixing, 4.8x25mm

XTRAL
Panel



VFR4.010A4
Rivet

Vitrafix VF1
Carrier
System



XTRAL
Panel

Insulation continuous
around supports

Isolation
Pad

VFSD5.538 Vitrafix Self
Drilling Fixing, 5.5x38mm


Sheathing board

Vitrafix VF1 Carrier System

VFSD4.825 Vitrafix Self
Drilling Fixing, 4.8x25mm

XTRAL External
Corner Profile

VFR4.010A4
Rivet



XTRAL
Panel

VFR4.010A4
Rivet

Vitrafix VF1
Carrier
System

VFSD4.825 Vitrafix Self
Drilling Fixing, 4.8x25mm

XTRAL Starter
Profile


Ventilation


Sheathing
Board

Insulation
continuous
around
supports

VFSD5.538 Vitrafix Self
Drilling Fixing, 5.5x38mm

Isolation
Pad





XTRAL Soffit
Return Profile

XTRAL
Panel

Vitrafix VF1
Carrier
System

VFS4825 Vitrafix Self
Drilling Fixing, 4.8x25mm

VFS538 Vitrafix Self
Drilling Fixing, 5.5x38mm

Insulation
continuous
around
supports

Isolation
Pad

Sheathing
Board

VFR4.010A4
Rivet

Fairview Europe Ltd t/a Valcan
Dunball House, Unit N Woodlands
Bristol Road, Bridgwater, TA6 4FJ
tel: 0844 800 7131
email: enquiries@valcan.co.uk

THESE DETAILS ARE LIMITED TO THE GENERALISED DESIGN
SPECIFICATION FOR THE PRODUCTS SHOWN AND ARE INTENDED
TO BE USED BY A TECHNICALLY SKILLED PERSON ONLY - ANY USE OF
THE SAME IS AT THEIR OWN DISCRETION AND RISK.
FILE NAME: Soffit Return Detail
SCALE: 1 : 2 @ A4

UNLESS OTHERWISE
SPECIFIED, DIMENSIONS
ARE IN MILLIMETRES
ANGLES ± 0.1°
2PL ± 0.01mm
3PL ± 0.001mm

DRAWN: GB
CHECKED: .
ENG APPR: .
MGR APPR: .

DRAWING TITLE
Soffit Return Detail

DATE: September 2022
SHEET 4 OF 5
DRAWING No. X-PL-4
REV.

